

ARENYS - Vanity 3 drawers 600/800/1000/1200 (2x600)



Exterior finishes



Interior



Technical characteristics

Front & side panels (Thickness=16mm):

- Gloss White: Laminated particle board lacquered with UV high gloss polyester paint.
- Matte grey, Eternity oak, Caledonia oak: Laminated particle board.

Internal structure panels (Thickness=16mm): Laminated particle board.

- * All the panels used in the manufacture of this unit are classed as E-05 grade with low level of formaldehyde content.
- *Trim varies according to design: PVC, ABS (edged with PUR glue)

Drawers: Wooden drawer with concealed partial extraction runner with soft closing and height adjustment. Maximum load capacity 25 Kg.

Metal fitting

Legs

ABS legs in glossy anodised finish. (height 100 mm)


Wash basins available

- 600/800/1000: Iberia central sink
- 1200 : Iberia double sink


Vanity dimensions and package weight

	600	800	1000
Length mm.	650	845	1045
Depth mm.	495		
Height mm.	840	835	835
Net weight Kg.	27	32,3	37,5
Gross weight Kg.	29,4	35,1	40,7

Vanity dimensions



Free space for water pipe




ARENYS - Vanity Unibody 3 drawers + 1 door 850 LEFT/RIGHT



Exterior finishes



Interior



Technical characteristics

Front & side panels (Thickness=16mm):

- Gloss White: Laminated particle board lacquered with UV high gloss polyester paint.
- Matte grey, Eternity oak, Caledonia oak: Laminated particle board.

Internal structure panels (Thickness=16mm): Laminated particle board.

- * All the panels used in the manufacture of this unit are classed as E-05 grade with low level of formaldehyde content.
- * Trim varies according to design: PVC, ABS (edged with PUR glue)

Drawers: Wooden drawer with concealed partial extraction runner with soft closing and height adjustment. Maximum load capacity 25 Kg.

Door: "Soft Close" and 1 wooden shelf.

Metal fitting

Legs ABS legs in glossy anodised finish. (height 100 mm)



Wash basins available

- 850: Iberia left /right.


Vanity dimensions and package weight

	850
Length mm.	895
Depth mm.	495
Height mm.	830
Net weight Kg.	38,4
Gross weight Kg.	41,2

Vanity dimensions



Free space for water pipe



ARENYS - Plinth 600 / 800 / 850 / 1000 / 1200 (2x600)



Technical characteristics

Front & side panels (Thickness=16mm):

- Gloss White: Laminated particle board lacquered with UV high gloss polyester paint.
- Matte grey, Eternity oak, Caledonia oak: Laminated particle board.

Internal structure panels (Thickness=16mm): Laminated particle board.

* All the panels used in the manufacture of this unit are classed as E-05 grade with low level of formaldehyde content.

* Trim varies according to design: PVC, ABS (edged with PUR glue)

Metal fitting


The plinth requires a tighter positioning of the legs (in contrast to the conventional position without plinth). Easy installation system using KEKU fittings to enable the plinth to be fitted and removed for cleaning purposes.



Exterior finishes



Interior



E-05
STANDARD
EN 717-1

SOFT
CLOSING

Vanity dimensions and package weight

	600	800	850	1000
Length mm.	590	790	980	980
Depth mm.	105			
Height mm.	55	55	35	35
Net weight Kg.	1,64	1,84		2
Gross weight Kg.	1,76	2	2,15	2,3

Vanity dimensions

