

ALLIANCE - Wall hung storage unit 1 door







Exterior finishes



Interior finishes



Onix

Technical information

_Manufacture of doors and sides (e=16mm):
- White: Laminated particleboard lacquered with ultra-gloss UV polyester paint.
- Mate: laminated particle board lacquered with matt water-based paint.
- Wood: laminated particle board. PVC song "Testa" with PUR glue

_ Internal structure construction (e=16mm): laminated particle board onix finish.

*All boards used in the manufacture of this furniture are classified as class E05 with low formaldehyde content.
*Edges according to design: PVC, ABS. (edged with PUR glue)

Packaging dimensions and weight

	300 x 540
Lenght (mm)	360
Depth (mm)	510
Height (mm)	620
Net weight (kg)	11,7
Gross weight (kg)	13,6


Fittings

_Hangers: high resistance wall brackets with three independent regulations. Load capacity 70Kg.

_Hinges: Hettich hinges with adjustment. Opening 110°.

_Push: Push opening system with piston with opening adjustment

Dimensions



ALLIANCE - Curved door storage unit







STANDARD EN 717-1



PUSH SYSTEM



HINGE OPENING 110º



REVERSIBLE

Exterior finishes



Gloss White | White Cotton RAL 9016 | Black Velvet Pantone Schwarz 6C RAL 000 15 00 | Sienna Oak | Montana Oak | Walnut Maya



Terracota Pantone 7587C RAL 040 40 40 | Macchiato Pantone 4255C RAL 060 70 10 | Green forest Pantone 4220C RAL 120 50 05 | Night Blue Pantone 2380C RAL 280 20 10 | Blue Fog Pantone 443C RAL 240 70 05 | Moon grey NCS S 3502-Y RAL D2 060 70 05 Pantone Cool Gray 5C

Interior finishes



Onix

Technical information

_Front Panels (e=19 mm):
- Gloss: MDF board lacquered with High Gloss UV polyester paint.
- Mate: MDF board lacquered with matt water-based paint.
- Wood: MDF board PVC coated with 3D foil wrapping technology.

_Side Panels (e=16mm):
- Gloss: laminated particle board lacquered with high gloss UV polyester paint.
- Mate: laminated particle board lacquered with matt water-based paint.
- Wood: laminated particle board. PVC edging "Testa" design with PUR glue.

_Internal Structure Panels (e=16mm): Laminated particle board onix finish.

*All panels used in the manufacture of this unit are classed as E-1 grade with low level of formaldehyde content.

*Trim varies according to design: PVC, ABS (edged with PUR glue)

Packaging dimensions and weight

	300 x 540
Lenght (mm)	360
Depth (mm)	510
Height (mm)	620
Net weight (kg)	11,2
Gross weight (kg)	13,2


Fittings

_Hangers: high resistance wall brackets with three independent regulations. Load capacity 70Kg.

_Hinges: Hettich hinges with adjustment. Opening 110°.

_Push: Push opening system with piston with opening adjustment

Dimensionss



ALLIANCE - Wall hung storage unit 2 niches





E-05

STANDARD
EN 717-1

Exterior finishes



Gloss White | White Cotton RAL 9016 | Black Velvet Pantone Schwarz 6C RAL 000 15 00 | Sienna Oak | Montana Oak | Walnut Maya

Technical information

_Manufacture of doors and sides (e=16mm):
- White: Laminated particleboard lacquered with ultra-gloss UV polyester paint.
- Mate: laminated particle board lacquered with matt water-based paint.
- Wood: laminated particle board. PVC song "Testa" with PUR glue

_ Internal structure construction (e=16mm): laminated particle board onix finish.

*All boards used in the manufacture of this furniture are classified as class E05 with low formaldehyde content.
*Edges according to design: PVC, ABS. (edged with PUR glue)


Fittings

_Hangers: high resistance wall brackets with three independent regulations. Load capacity 70 Kg.

Packaging dimensions and weight


	300 x 540
Lenght (mm)	360
Depth (mm)	510
Height (mm)	620
Net weight (kg)	9,7
Gross weight (kg)	11,6

Dimensionss



ALLIANCE - Wall hung and removable storage unit







STANDARD EN 717-1



EXTRACTION TOTAL



WOODEN DRAWER



SOFT CLOSING

Exterior finishes



Gloss White



White Cotton RAL 9016



Black Velvet Pantone Schwarz 6C RAL 000 15 00



Sienna Oak



Montana Oak



Walnut Maya

Finishing handles



Matt White



Anodized gloss grey



Matt Black

Technical information

_Manufacture of doors and sides (e=16mm):
- White: Laminated particleboard lacquered with ultra-gloss UV polyester paint.
- Mate: laminated particle board lacquered with matt water-based paint.
- Wood: laminated particle board. PVC song "Testa" with PUR glue

_ Internal structure construction (e=16mm): laminated particle board onix finish.

*All boards used in the manufacture of this furniture are classified as class E05 with low formaldehyde content.
*Edges according to design: PVC, ABS. (edged with PUR glue)

Interior finishes



Onix

Packaging dimensions and weight

	300 x 540
Lenght (mm)	360
Depth (mm)	510
Height (mm)	620
Net weight (kg)	13,9
Gross weight (kg)	15,7


Fittings

_ Hangers: Heavy duty hanger with three independent adjustments accessible from the front. Load capacity 70Kg.

_ Guide: Concealed Hettich extractor plus rails with soft closing and height adjustment. Max. load capacity 25 kg.

_Handle/towel rail: Aluminium handle in 3 available finishes: Anodized gloss grey, matt black, matt white. Not included in the unit.

Dimensions



ALLIANCE - Double bottom







STANDARD EN 717-1



PUSH SYSTEM



HINGE OPENING 110º



REVERSIBLE

Exterior finishes



Gloss White

White Cotton RAL 9016

Black Velvet Pantone Schwarz 6C RAL 000 15 00

Sienna Oak

Montana Oak

Walnut Maya

Interior finishes



Onix

Technical information

_Manufacture of doors and sides (e=16mm):
- White: Laminated particleboard lacquered with ultra-gloss UV polyester paint.
- Mate: laminated particle board lacquered with matt water-based paint.
- Wood: laminated particle board. PVC song "Testa" with PUR glue

_ Internal structure construction (e=16mm): laminated particle board onix finish.

*All boards used in the manufacture of this furniture are classified as class E05 with low formaldehyde content.
*Edges according to design: PVC, ABS. (edged with PUR glue)

Packaging dimensions and weight

	300 x 540
Lenght (mm)	345
Depth (mm)	295
Height (mm)	600
Net weight (kg)	7,5
Gross weight (kg)	8,7


Fittings

_Hangers: Heavy duty hanger with three independent adjustments accessible from the front. Load capacity 70Kg.

_Hinge: Hettich 110° opening hinge.

_Push: Push opening system with piston with opening regulation.

Dimensions



ALLIANCE - Floor standing storage unit





E-05
STANDARD EN 717-1

PUSH SYSTEM

110
HINGE OPENING 110º

REVERSIBLE

Exterior finishes



Gloss White
White Cotton RAL 9016
Black Velvet Pantone Schwarz 6C RAL 000 15 00
Sienna Oak
Montana Oak
Walnut Maya

Interior finishes



Onix

Technical information

_Manufacture of doors and sides (e=16mm):
- White: Laminated particleboard lacquered with ultra-gloss UV polyester paint.
- Mate: laminated particle board lacquered with matt water-based paint.
- Wood: laminated particle board. PVC song "Testa" with PUR glue

_ Internal structure construction (e=16mm): laminated particle board onix finish.

*All boards used in the manufacture of this furniture are classified as class E05 with low formaldehyde content.
*Edges according to design: PVC, ABS. (edged with PUR glue)

Packaging dimensions and weight

	300 x 540
Lenght (mm)	360
Depth (mm)	495
Height (mm)	850
Net weight (kg)	16,7
Gross weight (kg)	18,5


Fittings

_Legs: 1 central reinforcement leg, including 100 mm chrome finish.

_Hinge: Hettich hinge opening 110°.

_Push: Push opening system with piston with opening adjustment

Dimensions



ALLIANCE - Wall hung storage unit 1 door





E-05 STANDARD EN 717-1

PUSH SYSTEM

110 HINGE OPENING 110º

REVERSIBLE

Exterior finishes

Gloss White

White Cotton RAL 9016

Black Velvet Pantone Schwarz 6C RAL 000 15 00

Sienna Oak

Montana Oak

Walnut Maya

Terracota Pantone 7587C RAL 040 40 40

Macchiato Pantone 4253C RAL 060 70 10

Green forest Pantone 4220C RAL 120 50 05

Night Blue Pantone 2380C RAL 280 20 10

Blue Fog Pantone 443C RAL 240 70 05

Moon grey NCS S 3502-Y RAL D2 060 70 05 Pantone Cool Gray 5C

Interior finishes

Onix

Technical information

_Manufacture of doors and sides (e=16mm):
- White: Laminated particleboard lacquered with ultra-gloss UV polyester paint.
- Mate: laminated particle board lacquered with matt water-based paint.
- Wood: laminated particle board. PVC song "Testa" with PUR glue

_ Internal structure construction (e=16mm): laminated particle board onix finish.

*All boards used in the manufacture of this furniture are classified as class E05 with low formaldehyde content.
*Edges according to design: PVC, ABS. (edged with PUR glue)

Packaging dimensions and weight

	300 x 400
Lenght (mm)	360
Depth (mm)	510
Height (mm)	485
Net weight (kg)	11
Gross weight (kg)	12,4


Fittings

_Hangers: high resistance wall brackets with three independent regulations. Load capacity 70Kg.

_Hinges: Hettich hinges with adjustment. Opening 110°.

_Push: Push opening system with piston with opening adjustment

Dimensions



ALLIANCE - Modules 1 door - 400 / 800





E-05
STANDARD EN 717-1

PUSH SYSTEM

110
HINGE OPENING 110º

REVERSIBLE

Exterior finishes



Gloss White
White Cotton RAL 9016
Black Velvet Pantone Schwarz 6C RAL 000 15 00
Sienna Oak
Montana Oak
Walnut Maya



Terracota Pantone 7587C RAL 040 40 40
Macchiato Pantone 4253C RAL 060 70 10
Green forest Pantone 4220C RAL 120 50 05
Night Blue Pantone 2380C RAL 280 20 10
Blue Fog Pantone 443C RAL 240 70 05
Moon grey NCS S 3502-Y RAL D2 060 70 05 Pantone Cool Gray 5C

Interior finishes



Onix

Technical information

_Manufacture of doors and sides (e=16mm):
- White: Laminated particleboard lacquered with ultra-gloss UV polyester paint.
- Mate: laminated particle board lacquered with matt water-based paint.
- Wood: laminated particle board. PVC song "Testa" with PUR glue

_ Internal structure construction (e=16mm): laminated particle board onix finish.

*All boards used in the manufacture of this furniture are classified as class E05 with low formaldehyde content.
*Edges according to design: PVC, ABS. (edged with PUR glue)

Packaging dimensions and weight

	300 x 400	300 x 800
Lenght (mm)	380	380
Depth (mm)	225	225
Height (mm)	460	860
Net weight (kg)	5,9	9,1
Gross weight (kg)	6,8	10,4


Fittings


_Hangers: Heavy duty hanger with three independent adjustments accessible from the front. Load capacity 70Kg.

_ Hinges: Hettich hinges with adjustment. Opening 110°.

_ Push: Push opening system with piston with opening adjustment

Dimensions





ALLIANCE - Tall unit 1000





E-05
STANDARD EN 717-1

PUSH SYSTEM

110
HINGE OPENING 110º

REVERSIBLE

Exterior finishes



Gloss White | White Cotton RAL 9016 | Black Velvet Pantone Schwarz 6C RAL 000 15 00 | Sienna Oak | Montana Oak | Walnut Maya

Interior finishes



Onix

Technical information

_Manufacture of doors and sides (e=16mm):
- White: Laminated particleboard lacquered with ultra-gloss UV polyester paint.
- Mate: laminated particle board lacquered with matt water-based paint.
- Wood: laminated particle board. PVC song "Testa" with PUR glue

_ Internal structure construction (e=16mm): laminated particle board onix finish.

*All boards used in the manufacture of this furniture are classified as class E05 with low formaldehyde content.
*Edges according to design: PVC, ABS. (edged with PUR glue)

Packaging dimensions and weight

	350 x 1000
Lenght (mm)	395
Depth (mm)	395
Height (mm)	1060
Net weight (kg)	22,8
Gross weight (kg)	24,7


Fittings

_Hangers: high resistance wall brackets with three independent regulations. Load capacity 70Kg.

_Hinges: Hettich hinges with adjustment. Opening 110°.

_Push: Push opening system with piston with opening adjustment


Dimensions



ALLIANCE - Tall unit 1600







STANDARD EN 717-1 | PUSH SYSTEM | HINGE OPENING 110º | REVERSIBLE

Exterior finishes



Gloss White | White Cotton RAL 9016 | Black Velvet Pantone Schwarz 6C RAL 000 15 00 | Sienna Oak | Montana Oak | Walnut Maya



Terracota Pantone 7587C RAL 040 40 40 | Macchiato Pantone 4253C RAL 060 70 10 | Green forest Pantone 4220C RAL 120 50 05 | Night Blue Pantone 2380C RAL 280 20 10 | Blue Fog Pantone 443C RAL 240 70 05 | Moon grey NCS S 3502-Y RAL D2 060 70 05 Pantone Cool Gray 5C

Interior finishes



Onix

Technical information

_Manufacture of doors and sides (e=16mm):
- White: Laminated particleboard lacquered with ultra-gloss UV polyester paint.
- Mate: laminated particle board lacquered with matt water-based paint.
- Wood: laminated particle board. PVC song "Testa" with PUR glue

_ Internal structure construction (e=16mm): laminated particle board onix finish.

*All boards used in the manufacture of this furniture are classified as class E05 with low formaldehyde content.
*Edges according to design: PVC, ABS. (edged with PUR glue)

Packaging dimensions and weight

	350 x 1600
Lenght (mm)	415
Depth (mm)	415
Height (mm)	1680
Net weight (kg)	28
Gross weight (kg)	30,5

Fittings

_Hangers: high resistance wall brackets with three independent regulations. Load capacity 70Kg.

_Hinges: Hettich hinges with adjustment. Opening 110°.

_Push: Push opening system with piston with opening adjustment

Dimensions

