COMPAKT - Vanity top with 1 integrated sink, basin 460, depth 460





Montana Oak


Havana


White Marble


Cement


Graphite Stone

Wear-resistant

Water-repellent

Dirt-repellent

Anti-bacterial

Resistant to cleaning products and disinfectants

Fireproof

Made-to-measure

Non-porous surface

Technical Characteristics


100% CERTIFIED
The samples tested meet the requirements indicated in UNE EN 14688:2016 standards; "Sanitary appliances. Wash basins. Functional requirements and test methods";
and their designation corresponds to EN 14688-CL00

_Vanity top: 100% phenolic compact 8mm HPL board.
This is a structural high-pressure laminate made of multiple layers in the core with resin-impregnated decorative paper. Its durability, structural strength and resistance to moisture make it ideal for these vanity tops.


_Basin: ABS plastic basin with antibacterial treatment.

Fittings


_Wall mounting system included.
- 600/1200: 2 adjustable supports + 1 bracket
- 1201/1600: 3 adjustable supports + 2 brackets
- 1601/2500: 4 adjustable supports + 3 brackets



Bracket



Left support




Right support

Packaging dimensions and weight


	600- 800	801-1000	1001- 1200	1201- 1400	1401- 1600	1601- 1800	1801- 2000	2001-2500
Length mm.	845	1045	1245	1445	1645	1845	2045	2545
Depth mm.	505							
Height mm.	180							
Net weight Kg.	10,4	11,7	13,1	15,2	16,5	17,8	19,2	23,2
Gross weight Kg.	11,8	13,1	14,8	16,8	18,7	20,7	21,4	25,3


Dimensions

1 basin with tap




1 basin without tap





COMPAKT - Vanity top with 2 integrated sinks, basin 460, depth 460





Wear-resistant

Water-repellent

Dirt-repellent

Anti-bacterial

Resistant to cleaning products and disinfectants

Fireproof

Made-to-measure

Non-porous surface

Technical Characteristics


100% CERTIFIED
The samples tested meet the requirements indicated in UNE EN 14688:2016 standards; "Sanitary appliances. Wash basins. Functional requirements and test methods";
and their designation corresponds to EN 14688-CL00

_Vanity top: 100% phenolic compact 8mm HPL board.
This is a structural high-pressure laminate made of multiple layers in the core with resin-impregnated decorative paper. Its durability, structural strength and resistance to moisture make it ideal for these vanity tops.


_Basin: ABS plastic basin with antibacterial treatment.

Fittings


_Wall mounting system included.
- 1200/1600: 3 adjustable supports (415x105) + 2 brackets
- 1601/2500: 4 adjustable supports (415x105) + 3 brackets



Bracket



Left support




Right support

Packaging dimensions and weight


	1200- 1400	1401- 1600	1601- 1800	1801- 2000	2001-2500
Length mm.	1445	1645	1845	2045	2545
Depth mm.	505				
Height mm.	180				
Net weight Kg.	17,2	18,5	19,89	21,2	25,3
Gross weight Kg.	19,9	20,8	22,1	23,46	27,6


Dimensions

2 basins with tap



2 basins without tap





COMPAKT - Vanity top with 1 integrated sink, basin 560, depth 460





Montana Oak


Havana


White Marble


Cement


Graphite Stone

Wear-resistant

Water-repellent

Dirt-repellent

Anti-bacterial

Resistant to cleaning products and disinfectants

Fireproof

Made-to-measure

Non-porous surface

Technical Characteristics


100% CERTIFIED
The samples tested meet the requirements indicated in UNE EN 14688:2016 standards; "Sanitary appliances. Wash basins. Functional requirements and test methods";
and their designation corresponds to EN 14688-CL00

_Vanity top: 100% phenolic compact 8mm HPL board.
This is a structural high-pressure laminate made of multiple layers in the core with resin-impregnated decorative paper. Its durability, structural strength and resistance to moisture make it ideal for these vanity tops.


_Basin: ABS plastic basin with antibacterial treatment.

Fittings


_Wall mounting system included.
- 700/1200: 2 adjustable supports + 1 bracket
- 1201/1600: 3 adjustable supports + 2 brackets
- 1601/2500: 4 adjustable supports + 3 brackets



Bracket



Left support




Right support

Packaging dimensions and weight


	700 - 800	801 - 1000	1001- 1200	1201- 1400	1401- 1600	1601- 1800	1801- 2000	2001-2500
Length mm.	845	1045	1245	1445	1645	1845	2045	2545
Depth mm.	505							
Height mm.	180							
Net weight Kg.	10,43	11,76	13,1	15,2	16,5	17,8	19,2	23,24
Gross weight Kg.	11,8	13,13	14,8	16,8	18,7	20,7	21,4	25,3


Dimensions

1 basin with tap



1 basin without tap





COMPAKT - Vanity top with 2 integrated sinks, basin 560, depth 460





Montana Oak


Havana


White Marble


Cement


Graphite Stone

Wear-resistant

Water-repellent

Dirt-repellent

Anti-bacterial

Resistant to cleaning products and disinfectants

Fireproof

Made-to-measure

Non-porous surface

Technical Characteristics

100% CERTIFIED
The samples tested meet the requirements indicated in UNE EN 14688:2016 standards; "Sanitary appliances. Wash basins. Functional requirements and test methods";
and their designation corresponds to EN 14688-CL00


_Vanity top: 100% phenolic compact 8mm HPL board.
This is a structural high-pressure laminate made of multiple layers in the core with resin-impregnated decorative paper. Its durability, structural strength and resistance to moisture make it ideal for these vanity tops.

_Basin: ABS plastic basin with antibacterial treatment.


Fittings

_Wall mounting system included.


- 1400/1600: 3 adjustable supports + 2 brackets
- 1601/2500: 4 adjustable supports + 3 brackets



Bracket



Left support




Right support

Packaging dimensions and weight


	1400- 1600	1601- 1800	1801- 2000	2001-2500
Length mm.	1645	1845	2045	2545
Depth mm.	505			
Height mm.	180			
Net weight Kg.	18,5	19,89	21,2	25,3
Gross weight Kg.	20,8	22,1	23,46	27,6


Dimensions

2 basins with tap




2 basins without tap





COMPAKT - Vanity top with 1 integrated sink, basin 460, depth 510





Montana Oak


Havana


White Marble


Cement


Graphite Stone

Wear-resistant

Water-repellent

Dirt-repellent

Anti-bacterial

Resistant to cleaning products and disinfectants

Fireproof

Made-to-measure

Non-porous surface

Technical Characteristics


100% CERTIFIED
The samples tested meet the requirements indicated in UNE EN 14688:2016 standards; "Sanitary appliances. Wash basins. Functional requirements and test methods";
and their designation corresponds to EN 14688-CL00

_Vanity top: 100% phenolic compact 8mm HPL board.
This is a structural high-pressure laminate made of multiple layers in the core with resin-impregnated decorative paper. Its durability, structural strength and resistance to moisture make it ideal for these vanity tops.


_Basin: ABS plastic basin with antibacterial treatment.

Fittings


_Wall mounting system included.
- 600/1200: 2 adjustable supports + 1 bracket
- 1201/1600: 3 adjustable supports + 2 brackets
- 1601/2500: 4 adjustable supports + 3 brackets



Bracket



Left support




Right support

Packaging dimensions and weight


	600- 800	801-1000	1001- 1200	1201- 1400	1401- 1600	1601- 1800	1801- 2000	2001-2500
Length mm.	845	1045	1245	1445	1645	1845	2045	2545
Depth mm.	555							
Height mm.	180							
Net weight Kg.	11	12,4	13,9	16,11	17,6	19	22,7	24,8
Gross weight Kg.	12,4	13,8	15,6	17,8	19,8	21,25	24,9	26,7


Dimensions

1 basin with tap




1 basin without tap





COMPAKT - Vanity top with 2 integrated sinks, basin 460, depth 510





Montana Oak


Havana


White Marble


Cement


Graphite Stone

Wear-resistant

Water-repellent

Dirt-repellent

Anti-bacterial

Resistant to cleaning products and disinfectants

Fireproof

Made-to-measure

Non-porous surface

Technical Characteristics


100% CERTIFIED
The samples tested meet the requirements indicated in UNE EN 14688:2016 standards; "Sanitary appliances. Wash basins. Functional requirements and test methods";
and their designation corresponds to EN 14688-CL00

_Vanity top: 100% phenolic compact 8mm HPL board.
This is a structural high-pressure laminate made of multiple layers in the core with resin-impregnated decorative paper. Its durability, structural strength and resistance to moisture make it ideal for these vanity tops.


_Basin: ABS plastic basin with antibacterial treatment.

Fittings


_Wall mounting system included.
- 1200/1600: 3 adjustable supports (415x105) + 2 brackets
- 1601/2500: 4 adjustable supports (415x105) + 3 brackets



Bracket



Left support




Right support

Packaging dimensions and weight


	1200- 1400	1401- 1600	1601- 1800	1801- 2000	2001-2500
Length mm.	1445	1645	1845	2045	2545
Depth mm.	555				
Height mm.	180				
Net weight Kg.	18,2	19,6	21	22,5	26,8
Gross weight Kg.	19,8	21,85	23,3	24,75	28,9


Dimensions

2 basins with tap



2 basins without tap





COMPAKT - Vanity top with 1 integrated sink, basin 560, depth 510





Montana Oak


Havana


White Marble


Cement


Graphite Stone

Wear-resistant

Water-repellent

Dirt-repellent

Anti-bacterial

Resistant to cleaning products and disinfectants

Fireproof

Made-to-measure

Non-porous surface

Technical Characteristics


100% CERTIFIED
The samples tested meet the requirements indicated in UNE EN 14688:2016 standards; "Sanitary appliances. Wash basins. Functional requirements and test methods";
and their designation corresponds to EN 14688-CL00

_Vanity top: 100% phenolic compact 8mm HPL board.
This is a structural high-pressure laminate made of multiple layers in the core with resin-impregnated decorative paper. Its durability, structural strength and resistance to moisture make it ideal for these vanity tops.


_Basin: ABS plastic basin with antibacterial treatment.

Fittings


_Wall mounting system included.
- 700/1200: 2 adjustable supports + 1 bracket
- 1201/1600: 3 adjustable supports + 2 brackets
- 1601/2500: 4 adjustable supports + 3 brackets



Bracket



Left support




Right support

Packaging dimensions and weight


	700 - 800	801 - 1000	1001- 1200	1201- 1400	1401- 1600	1601- 1800	1801- 2000	2001-2500
Length mm.	845	1045	1245	1445	1645	1845	2045	2545
Depth mm.	555							
Height mm.	180							
Net weight Kg.	11	12,4	13,9	16,11	17,6	19	22,7	24,8
Gross weight Kg.	12,4	13,8	15,6	17,8	19,8	21,25	24,9	26,7


Dimensions

1 basin with tap




1 basin without tap





COMPAKT - Vanity top with 2 integrated sinks, basin 560, depth 510





Montana Oak


Havana


White Marble


Cement


Graphite Stone

Wear-resistant

Water-repellent

Dirt-repellent

Anti-bacterial

Resistant to cleaning products and disinfectants

Fireproof

Made-to-measure

Non-porous surface

Technical Characteristics

100% CERTIFIED
The samples tested meet the requirements indicated in UNE EN 14688:2016 standards; "Sanitary appliances. Wash basins. Functional requirements and test methods";
and their designation corresponds to EN 14688-CL00


_Vanity top: 100% phenolic compact 8mm HPL board.
This is a structural high-pressure laminate made of multiple layers in the core with resin-impregnated decorative paper. Its durability, structural strength and resistance to moisture make it ideal for these vanity tops.

_Basin: ABS plastic basin with antibacterial treatment.


Fittings

_Wall mounting system included.


- 1400/1600: 3 adjustable supports + 2 brackets
- 1601/2500: 4 adjustable supports + 3 brackets



Bracket



Left support




Right support

Packaging dimensions and weight


	1400- 1600	1601- 1800	1801- 2000	2001-2500
Length mm.	1645	1845	2045	2545
Depth mm.	555			
Height mm.	180			
Net weight Kg.	19,6	21	22,5	26,8
Gross weight Kg.	21,85	23,3	24,75	28,9


Dimensions

2 basins with tap




2 basins without tap





COMPAKT - Vanity top for top basin, depth 460





Montana Oak


Havana


White Marble


Cement


Graphite Stone

Wear-resistant

Water-repellent

Dirt-repellent

Anti-bacterial

Resistant to cleaning products and disinfectants

Fireproof

Made-to-measure

Non-porous surface

Technical Characteristics


100% CERTIFIED
The samples tested meet the requirements indicated in UNE EN 14688:2016 standards; "Sanitary appliances. Wash basins. Functional requirements and test methods";
and their designation corresponds to EN 14688-CL00

_Vanity top: 100% phenolic compact 8mm HPL board.
This is a structural high-pressure laminate made of multiple layers in the core with resin-impregnated decorative paper. Its durability, structural strength and resistance to moisture make it ideal for these vanity tops.


_Basin: ABS plastic basin with antibacterial treatment.

Fittings


_Wall mounting system included.
- 600/1200: 2 adjustable supports + 1 bracket
- 1201/1600: 3 adjustable supports + 2 brackets
- 1601/2500: 4 adjustable supports + 3 brackets



Bracket



Left support




Right support

Packaging dimensions and weight


	1 TOP BASIN								2 TOP BASINS				
	600-800	801-1000	1001-1200	1201-1400	1401-1600	1601-1800	1801-2000	2001-2500	1200-1400	1401-1600	1601-1800	1801-2000	2001-2500
Length mm.	845	1045	1245	1445	1645	1845	2045	2545	1445	1645	1845	2045	2545
Depth mm.	505								505				
Height mm.	180								180				
Net weight Kg.	10,43	11,76	13,1	15,1	16,5	17,83	19,17	23,24	17,20	18,55	19,89	21,22	25,3
Gross weight Kg.	11,79	13,13	14,8	16,8	18,74	20,7	21,4	25,7	18,93	20,79	22,12	23,46	27,1

Dimensions

1 top basin




2 top basins



COMPAKT - Vanity top for top basin, depth 510





Montana Oak


Havana


White Marble


Cement


Graphite Stone

Wear-resistant

Water-repellent

Dirt-repellent

Anti-bacterial

Resistant to cleaning products and disinfectants

Fireproof

Made-to-measure

Non-porous surface

Technical Characteristics


100% CERTIFIED
The samples tested meet the requirements indicated in UNE EN 14688:2016 standards; "Sanitary appliances. Wash basins. Functional requirements and test methods";
and their designation corresponds to EN 14688-CL00

_Vanity top: 100% phenolic compact 8mm HPL board.
This is a structural high-pressure laminate made of multiple layers in the core with resin-impregnated decorative paper. Its durability, structural strength and resistance to moisture make it ideal for these vanity tops.


_Basin: ABS plastic basin with antibacterial treatment.

Fittings


_Wall mounting system included.
- 600/1200: 2 adjustable supports + 1 bracket
- 1201/1600: 3 adjustable supports + 2 brackets
- 1601/2500: 4 adjustable supports + 3 brackets



Bracket



Left support




Right support

Packaging dimensions and weight


	1 TOP BASIN								2 TOP BASINS				
	600-800	801-1000	1001-1200	1201-1400	1401-1600	1601-1800	1801-2000	2001-2500	1200-1400	1401-1600	1601-1800	1801-2000	2001-2500
Length mm.	845	1045	1245	1445	1645	1845	2045	2545	1445	1645	1845	2045	2545
Depth mm.	555								555				
Height mm.	180								180				
Net weight Kg.	11,3	12,4	13,9	16,11	17,56	19,1	22,7	24,8	18,2	19,6	21	22,5	26,8
Gross weight Kg.	12,4	13,84	15,6	17,8	19,8	21,2	24,9	26,7	19,8	21,85	23,3	24,75	28,9

Dimensions

1 top basin




2 top basins



COMPAKT - Wall-mounted vanity shelves





Montana Oak


Havana


White Marble


Cement


Graphite Stone

Wear-resistant

Water-repellent

Dirt-repellent

Anti-bacterial

Resistant to cleaning products and disinfectants

Fireproof

Made-to-measure

Non-porous surface


Technical Characteristics

100% CERTIFIED
The samples tested meet the requirements indicated in UNE EN 14688:2016 standards; "Sanitary appliances. Wash basins. Functional requirements and test methods";
and their designation corresponds to EN 14688-CL00


_Vanity top: 100% phenolic compact 8mm HPL board.
This is a structural high-pressure laminate made of multiple layers in the core with resin-impregnated decorative paper. Its durability, structural strength and resistance to moisture make it ideal for these vanity tops.

Fittings


_Wall mounting system included.
- 600/1200: 2 adjustable supports + 1 bracket
- 1201/1600: 3 adjustable supports + 2 brackets
- 1601/2500: 4 adjustable supports + 3 brackets



Bracket



Left support




Right support

Packaging dimensions and weight

	DEPTH 380								DEPTH 420							
	600 - 800	801 - 1000	1001-1200	1201-1400	1401-1600	1601-1800	1801-2000	2001-2500	600 - 800	801 - 1000	1001-1200	1201-1400	1401-1600	1601-1800	1801-2000	2001-2500
Length mm.	845	1045	1245	1445	1645	1845	2045	2545	845	1045	1245	1445	1645	1845	2045	2545
Depth mm.	425								465							
Height mm.	150															
Net weight Kg.	6,4	7,5	8,6	9,6	10,7	11,8	12,9	15,6	6,8	8	9,2	10,4	11,6	12,7	13,9	16,8
Gross weight Kg.	7,8	8,8	10,3	11,4	12,9	14	15,1	17,8	8,2	9,7	10,9	12	13,8	14,9	16	18,2

Dimensions

DEPTH 380



DEPTH 420

