EASY BATH- 800 Wall-hung unit with supports



E-05

STANDARD
EN 717-1

Exterior finishes



Sienna Oak | Montana Oak | Walnut Maya

Technical information

_Worktop manufacturing (e=30 mm):
- Worktop by MDF board PVC finish.

_Metal supports:
- 2 metal supports, white lacquered finish, with integrated towel rack


_Washbasin:
- Mineralsolid washbasin.


*All panels used in the manufacture of this unit are classed as E-1 grade with low level of formaldehyde content.

Packaging dimensions and weight

	Worktop	Washbasin	Supports
Lenght (mm)	1335	654	425
Depth (mm)	575	464	205
Height (mm)	65	243	25
Net weight (kg)	7,2	7	1
Gross weight (kg)	8,6	7,5	1,1

Dimensions





EASY BATH- 800 Wall-hung unit with supports and module



E-05

STANDARD
EN 717-1

Exterior finishes



Sienna Oak | Montana Oak | Walnut Maya

Technical information

_Worktop manufacturing (e=30 mm):
- Worktop by MDF board PVC finish.

_Metal supports:
- 2 metal supports, white lacquered finish, with integrated towel rack

_Module:
2 wooden drawers, soft close system , white lacquered finish and chrome handles


_Washbasin:
- Mineralsolid washbasin.


*All panels used in the manufacture of this unit are classed as E-1 grade with low level of formaldehyde content.

Packaging dimensions and weight

	Worktop	Washbasin	Supports
Lenght (mm)	1335	654	425
Depth (mm)	575	464	205
Height (mm)	65	243	25
Net weight (kg)	12,0	7	1
Gross weight (kg)	13,4	7,5	1,1

Dimensions





SMOOTH - Semi inset basin 550 mm



Finish

White

Technical Characteristics

_Wash-Basin manufacturing:
Basins manufactured in Mineral Solid: Compound material made of natural mineral loads and resin. Covered with an opaque aesthetic effect coating. This coating combines excellent strength characteristics with complete surface re-establishment.

Syphon, pop-up drain stopper and tap not included.

Packaging dimensions and weight

Lenght (mm)	654
Depth (mm)	464
Height (mm)	243
Net weight (kg)	7
Gross weight (kg)	7,5

Basin Dimensions

