



VERSA FC2 + LC


Instrucciones de montaje
Assembly Instructions
Instructions de Montage
Istruzione per il montaggio
Instruções de montagem
Montageanleitung





















LC (Not including glass)




1  x3	15  x3 ST4x40	29  x2	61  x1	62  x1	63  x1	64  x1	65  x1	66  x1
67  x2	68  M4X18 x2	69  x1	70  M4X10 x2	71  x1	72  x1	73  x1		


(Not including glass)




1 x10	2 x1	3 x1	4 M4x16 x4	5 M5x16 x2	6 ST4x40 x6	7 x1	8 x1	9 x2	10 x1
11 x1	12 x1	13 x1	14 x1	15 ST4x40 x4	16 x1	17 x1	18 x1	19 x1	20 x1
21 x1	22 x1	23 x1	24 x1	25 x1	26 x1	27 x1	28 4mm 3mm x1	29 x2	30 x1
41 x1	42 x1	43 x1							


LC







FC2












①
Long
61
Short
16
10mm
10mm
NO
NO
NO
1a
Inside
1b
Ø6 mm
1c
1
1d
15
②
2a
27
2b
Ø6.0mm
2c
1
2d
6
13
15


NOTE: EASY CLEAN ON THE INSIDE.





69
68
67
66
65
64
3mm
up
70
2


⑤



L=(B/2) -1mm
L±2mm
B



⑥
0-20mm
L1
L2
L3
L4
L1=L2
L3=L4
L±2mm

⑦




⑧






9a




9b


9c




9d




9e




9




9f




9g




9h





10







11








12
23
23
23
51
9
3mm
51
3mm
Inside
Inside
51
21
18
18
21
51
21
Inside
12mm
standard
3mm
3mm
Adjustable seal can be torn
to the required height.





13








14




15
17
24


16
16a
3mm
16b
16c
16d
water
Inside


17
L
L
20
72
20
20
72
29
18
30
xxxxxxxx
xxxxxxxx


19
62
24H
100mm
100mm

General Note: For Serie Versa

If required, it is possible to cut guide up to a maximun of 50 mm.

For this process a 6 mm metal drill bit is required.

